




OKOVI ZA STAKLENE OGRADE

GORICA STAKLO
KATALOG OKOVA






Nosač ograde s obradom, 6,1m

Gornja montaža	završna obrada AL NATUR	šifra 123516CT
---------------------------	-------------------------------	-------------------


Gornja montaža



Nosač ograde s obradom, 6,1 m

Gornja L montaža	završna obrada AL NATUR	šifra 123612CT
-----------------------------	-------------------------------	-------------------

Gornja montaža



Nosač ograde s obradom, 6,1 m

Bočna montaža	završna obrada AL NATUR	šifra 123615CT
--------------------------	-------------------------------	-------------------

Bočna montaža

- Maksimalna visina stakla 110 cm




Nosač stakla za ograde spyder

SF105 48x40	završna obrada INOX	šifra 125036SH
SF107 50x28	završna obrada INOX	šifra 124940SH



Nosač stakla za ograde spyder

50x30 L40	završna obrada INOX	šifra 128562IS
50x40 L40	završna obrada CRNA MAT	šifra 128563IS



- Presjek spyder nosača za staklo 50x30 L40



Sidreni vijak Fischer FH II 12/15 SK

9 cm	šifra 123616SC
10 cm	šifra 124996SC
12 cm	šifra 124995SC



Fix expert anchor(vijak) PE 300ml.

<i>300 ml</i>	šifra 127851TK
---------------	-------------------



Brтва za ogradu

<i>UNUTARNJA</i> <i>11 cm</i>	šifra 123526CT
----------------------------------	-------------------




<i>VANJSKA</i> <i>11 cm</i>	šifra 123527CT
--------------------------------	-------------------




Kajla za ogradu crna

<i>UNUTARNJA</i> <i>16,76 mm</i>	šifra 123517CT
-------------------------------------	-------------------


<i>VANJSKA</i>	šifra 123518CT
----------------	-------------------






Podni profil 5m eloksirani brušeni

<i>Q-R EASY</i>	šifra
<i>GLASS UP</i>	16692450018DB



Poklopac aluminij natur

<i>COR-8553</i>	šifra
	123528CT



SET za podni profil 5m

<i>Q-R EASY</i>	šifra
<i>GLASS UP</i>	128500DB

Maksimalna visina stakla je 1.100 mm. Preporuča se kaljeno dvostruko ostakljenje od 6, 8 ili 10 mm spojeno sa do 4 polivinil butirala od 0,38 mm.